(FORM PTO-1390 U. S. DEPA (REV 10/95)	ARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER				
		CERA-233				
TRANSMITTAL LETTER TO		(T. 10.10)				
DESIGNATED/ELECTED		U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR				
CONCERNING A FILING	7 UNDER 35 U.S.C. 3/1	09/937722				
INTERNATIONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED *				
PCT/EP00/03240	11 April 2000	11 April 1999				
TITLE OF INVENTION MEDICAL INSTRUMENTS						
APPLICANT(S) FOR DO/EO/US						
Ralf-Peter FRANKLE, Michael FRIPAN, Wolfgan						
Applicant herewith submits to the United States 1. This is the FIRST submission of items	Designated/Elected Office (DO/EO/US) the to	ollowing items and other information:				
	is concerning a filling under 35 U.S.C. 371. IT submission of items concerning a filling under	~~ 25 H C C 271				
	nal examination procedures (35 U.S.C. 371(f) a					
examination until the expiration of t	the applicable time limit set in 35 U.S.C. 371(b)	o) and PCT Articles 22 and 39(1).				
4. A proper Demand for International priority date.	Preliminary Examination was made by the 19th	n month from the earliest claimed				
5. A copy of the International Application as filed (35 U.S.C. 371(c)(2))						
	pired only if not transmitted by the International	Rureau I				
b. \B has been transmitted by the l	International Bureau.	,				
c. 🗆 is not required, as the application of the later of	cation was filed in the United States Receiving C	Office (RO/US).				
6. ☐ A translation of the International App 7. ■ Amendments to the claims of the International App	plication into English (35 U.S.C. 371(c)(2)). ternational Application under PCT Article 19 (3:	15 U.S.O. 2717-1/201				
a. □ are transmitted herewith (req	quired only if not transmitted by the International	al Bureau).				
b. D have been transmitted by the	e International Bureau.	·				
c. □ have not been made; howeve	rer, the time limit for making such amendments	s has NOT expired.				
d. ■ have not been made and will 8. □ A translation of the amendments						
	s to the claims under PCT Article 19 (35 U.S.C.	371(c)(3)).				
9. ☐ An oath or declaration of the invento						
10. □ A translation of the annexes to the In 371(c)(5)).	nternational Preliminary Examination Report un	der PCT Article 36 (35 U.S.C.				
Items 11. to 16. below concern document	t(s) or information included:					
11. An Information Disclosure Statement						
12. D Assignment document for recording. A	A separate cover sheet in compliance with 37 C	CFR 3.28 and 3.31 is included.				
13. □ A FIRST preliminary amendment.□ A SECOND or SUBSEQUENT prelimi	in mar aman dunant					
14. ☐ A substitute specification.	nary amenameni.					
15. ☐ A change of power of attorney and/o	or address letter.					
16. Other items or information:	. 464,555					
17. The following fees are submitted:		ļ				
 Other: A copy of International Search 	h Report with a translation into English					

BASIC NATIONA	L FEE (37 CFR 1.492	(A)(1) - (5)):			
Search Report	has been prepared by	the EPO or JPO	\$860.00		
International	preliminary examinatio	n fee paid to USPTO (3			
			\$690.00		
		ation fee paid to USPTC USPTO (37 CFR 1.445(
Neither Interninternational :	national preliminary exc search fee (37 CFR 1.4	amination fee (37 CFR 1 145(a)(2)) paid to USPTC	.482) nor D \$1000.00		
		on fee paid to USPTO (3 PCT Article 33(2)-(4)			
E	NTER APPROP	RIATE BASIC FE	E AMOUNT =	\$860.00	
Surcharge of \$130.0 =months from the earl	00 for furnishing the ocliest claimed priority do	ath or declaration later t te (37 CFR 1.492(e)).	han □ 20 ■ 30	\$130.00	
D CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims		0	x \$18.00	\$	
Independent		0	x \$80.00	\$	
MULTIPLE DEPENDE	NT CLAIM(S) (if applice	able)	+ \$250.00	\$	
**************************************	TC	OTAL OF ABOVE CA	ALCULATIONS =	\$990.00	
		applicable. Verified Sma 1.28).	ll Entity Statement	\$	
must also be filed (Note 37 CFR 1.9, 1.27, 1.28). SUBTOTAL =			\$990.00		
Processing fee of \$1: Inonths from the ear	30.00 for furnishing th	ne English translation lat nte (37 CFR 1.492(f)).	er than □ 20 = 30 +	\$130.00	
TOTAL NATIONAL FEE =				\$1,120.00	
Fee for recording the accompanied by an	e enclosed assignment appropriate cover shee	(37 CFR 1.21(h)). The det (37 CFR 3.28, 3.31).	ssignment must be \$40.00 per property+	\$	
		\$1,120.00			
				Amount to be: refunded	\$
				charged	\$
a. 🔳 A check in	n the amount of \$1120	0.00 to cover the above	e fees is enclosed.		•
b. 🗌 Please ch	arge my Deposit Accou	ınt No. <u>50-0624</u> in th		over the above fees.	
c. ■ The Com		horized to charge any f		red, or credit any overp	payment to Deposit
		duplicate copy of this s		11;;; 1	ine (27 CER 1 127/e)
or (b)) must be filed	l and granted to resto	under 37 CFR 1.494 ore the application to p		mer a perifican to rev	ive (37 CFR 1.137(d)
SEND ALL CORRESPOND James R. Crawford	DENCE TO:			Va la	Λ
FULBRIGHT & JAWC	DRSKI L.L.P.				~~ (
666 Fifth Avenue New York, NY 1010	3			SIGNATURE	
Customer No. 2497				James R. Crawford NAME	
				Date: September 28,	, 2001
				39,155 REGISTRATION NUMBER	
EYPPESS MAIL NO	FI 8206/3/50 US			KEOBIKATION NUMBER	•

CERA-233

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s)

FRANKE, et al.

Serial No.

09/937,722

Filing Date

September 28, 2001

For

MEDICAL INSTRUMENTS

Hon. Commissioner of Patents

February 7, 2002

and Trademarks

Washington, D.C. 20231

PRELIMINARY AMENDMENT

Sir:

Prior to examination please amend the application as follows:

IN THE CLAIMS

Cancel claims 1-29, without prejudice and add the following claims:

- 30. A medical/surgical instrument comprising biocompatible bioinert material.
- 31. A medical/surgical instrument characterized in that it is coated with biocompatible bioinert material.
- 32. The medical/surgical instrument according to claim 30, wherein the biocompatible bioinert material is high-strength technical ceramic.
- 33. The medical/surgical instrument according to claim 30, wherein the biocompatible bioinert material is a ceramic comprising at least one of an aluminum oxide, zirconium oxide and silicon nitride.
- 34. A medical/surgical instrument according to claim 30, wherein the biocompatible bioinert material is a YTZP or ZTPA ceramic.
- 35. A medical/surgical instrument according to claim 30, wherein it is formed as scalpel, scissors, saw, drill, thread cutting tool, centering tool, drill-jig bushing, or as templet.
- 36. A tool made of biocompatible bioinert material.

- 37. The tool according to claim 36, wherein the biocompatible bioinert material is high-strength technical ceramic.
- 38. The tool according to claim 36, wherein the biocompatible bioinert material is a ceramic on an aluminum oxide, zirconium oxide or silicon nitride basis.
- 39. The tool according to claim 36, wherein the biocompatible bioinert material is a Y-TZP or ZTPA ceramic.
- 40. The tool according to claim 36, wherein the tool is formed as a scalpel, scissors, saw, drill, thread cutting tool, centering tool, drill-jig bushing or as a templet.
- 41. The tool according to claim 36, wherein at least a portion of the surface consists of the biocompatible bioinert material.

REMARKS

Applicants respectfully request entry of the foregoing amendment. Early and favorable action on the pending Claims is earnestly solicited. If any fees are due to maintain pendency of this application, authorization is granted to charge such fees to Deposit Account No. 50-0624.

Respectfully submitted,

FULBRIGHT & JAWORSKI, L.L.P.

James R. Crawford

Autorney for Applicants Registration No. 39,155

FULBRIGHT & JAWORSKI, L.L.P. 666 Fifth Avenue New York, New York 10103 (212) 318-3000

09/937,722 PTUPET Rec'd 2: FEB 2002

CERA233

Medical Instruments

The subject of the present invention is medical instruments, and methods for their manufacture, as well as the use thereof.

Recent studies on patients with implants/prostheses have shown that in the postprosthetic tissue traces of iron could be detected. This finding is surprising insofar as iron could be detected even when implants/prostheses of absolutely iron-free materials have been used and the explanation of the implants/prostheses and the analysis of the periprosthetic tissue was performed with iron-free research instruments. Even in the case of explantates made of absolutely iron-free materials – for example even in the case of titanium prostheses – iron was detected by such studies in the periprosthetic tissue in amounts of up to 1 mg/g of tissue.

The induction effect of iron on fibroblasts, for example, is known. About 30% of the so-called "exchange operations" are made necessary predominantly by particles in the periprosthetic tissue which are responsible for the loosening of implants/prostheses ("particle disease"). Iron, on the one hand an essentially necessary element for the organism, on the other hand exercises evidently massive deleterious effects in the environment of implants/prostheses, e.g., on the ingrowth performance of osteosynthesis plates, implants, prostheses, screws, etc.

Results obtained on the basis of the use – due to the special research methodology – of absolutely iron-free instruments, the iron detected in the periprosthetic tissue of iron-free implants/prostheses must consequently have insinuated themselves during the operation.

20

5

Many operational techniques in orthopedics or surgery call for the use of scalpels, scissors, saws, drills, thread cutting tools, centering tools, bushings, templets and other such instruments made of materials containing iron. Consider here, for example, the article, "Semiconstrained Total Elbow Replacement for the Treatment of Post-Traumatic Osteoarthrosis" by A.G. Schneeberger et al., The Journal of Bone and Joint Surgery, Vol. 79-A, No. 8, August 1997, p. 1211 ff.

Surprisingly, in studies of these instruments after their use, definite traces of wear were found. Wear results from the attrition of the ferrous material and sometimes can be seen with the naked eye. This iron-containing detritus created during the operation evidently collects in the periprosthetic tissue and thus can be blamed at least partially for the loosening of the prostheses.

The present invention was therefore aimed at reliably preventing detritus of iron particles from forming in operations.

It was therefore one objective of the invention to make available tools and instruments which, when used in surgical operations, for example in the cutting of bone and in the insertion of implants, will produce no iron particles, in order thus to keep osteolytically active iron out of the tissues.

The problem to which the present invention is addressed was attained according to the invention by the use of biocompatible bioinert materials for the manufacture of medical/surgical instruments and by the use of medical/surgical instruments made from biocompatible bioinert materials in surgical operations.

5

According to the invention, medical/surgical instruments are prepared from biocompatible bioinert materials.

The use of biocompatible bioinert materials is of decisive importance for the solution according to the invention. Such biocompatible bioinert materials include ceramics. Examples to mention here are high-strength technical ceramics, such as those on a basis of aluminum oxide, zirconium oxide or silicon nitride. Especially preferred are so-called Y-TZP ceramics or also ZPTA ceramics. ZPTA ceramics consist of a matrix material which is composed of an aluminum oxide/chromium oxide mixed crystal and is platelet-reinforced in situ. Such ceramics are described for example in EPA 0 542 815. These are ceramics in which zirconium dioxide containing stabilizing oxides is embedded in a matrix material of a sintered body formed of an aluminum oxide / chromium dioxide mixed crystal, the amount of the stabilizing oxides being so chosen that the zirconium dioxide is predominantly tetragonal. In addition to these ceramics, however, other ceramics can also be used. It must only be assured that they are biocompatible and bioinert. Such ceramics have long been known in medical technology. They include, among other things, the ceramics from which implants are made, for example, and which are sold by the applicant under the names Biolox® and Ziolox®.

From these high-strength technical ceramics scalpels, scissors, saws, drills, thread cutting tools and centering tools, drill-jig bushings, templets and other such instruments can be made.

The production of the ceramics needed for these instruments is performed in a manner

5

known to the practitioner of the art. It is to be noted, however, that the ceramic required for these instruments must be sharp-edged for use according to the invention in medicine or surgery, and must contain no phase of the kind used in ceramics for cutting metal.

A drill according to the invention is obtained, for example, by first producing a cylinder, from a ceramic according to EPA 0 542 815, for example, into which the shape necessary for use as a cutting instrument is ground. Figure 1 shows drills which were made in this manner. Likewise possible is the production of a ceramic close to final shape by injection molding methods or by the so-called DCC method, which is then finished accordingly. In the DCC method the green body is made directly from the suspension. For this purpose the ceramic mixture with a solid content of more than 50 vol.-% is ground in an aqueous suspension. The pH value of the mixture is then to be adjusted to 4 - 4.5. After grinding, urea and a quantity of the enzyme urease is added, which is able to degrade the urea before this suspension is poured into a mold. The enzyme-catalyzed degradation of the urea shifts the pH of the suspension toward 9, while the suspension coagulates. The green body thus prepared is dried and sintered after removal from the mold. The sintering process can be performed without pressure, but pre-sintering followed by hot isostatic compression is also possible. Further details on this process (DCC process) are disclosed in WO 94/02429 and in WO 94/24064, to which reference is expressly made.

A scalpel according to the invention or a scissors according to the invention can be obtained basically according to DE 43 13 305, for example, while the cutting blades of the scissors according to the invention can have either different hardnesses or the same

5

hardness.

According to the invention it is likewise possible to coat known medical/surgical instruments with biocompatible bioinert materials.

In all cases, the appearance, the shape, the geometry, the size of the medical/surgical instruments of the invention can correspond to the medical/surgical instruments used heretofore.

By the use according to the invention of biocompatible bioinert materials for the production of medical/surgical instruments or the use of the medical/surgical instruments consisting of biocompatible bioinert materials in surgical operations it is thus possible for the first time reliably to avoid the entry of iron-containing particles into the tissue. The medical/surgical instruments according to the invention can therefore be used in operations, for example, to avoid the production of any osteolytically active ferrous particles due to the cutting of bone.

The medical/surgical instruments according to the invention have an extremely great resistance to wear and accordingly high mechanical qualities. It is furthermore advantageous that the cutting characteristic of the medical/surgical instruments according to the invention is substantially better than the cutting characteristic of conventional instruments of the same geometry. Figure 2 shows the comparison between a conventional drill of metal and a drill according to the invention made of biocompatible bioinert ceramic when used in bone. One reason for this is the surface of the ceramics used according to the invention. Whereas in the case of conventional medical/surgical instruments wettability

5

problems are known to occur when fatty tissue is cut – fatty tissue dulls conventional scalpels, a reason why by now scalpels are used as single-use instruments – this problem does not occur with the medical/surgical instruments according to the invention.

Due to the better cutting characteristic of the medical/surgical instruments of the invention better performance can generally be assumed. Table 1 and Figure 3 show the comparison of two drills according to the invention with a conventional drill of metal of the same geometry when used in bone.

Of especial, particularly economical importance is furthermore the possibility of being able to use the medical/surgical instruments of the invention more often than once.

Conventional instruments of metal can and are, as a rule, used only once. On account of their surface chemistry the medical/surgical instruments of the invention can also be resterilized after use, without problems; even if the medical/surgical instruments according to the invention are autoclaved they are superior in performance to the conventional instruments (cf. Figure 3).

Of especial advantage is furthermore the use of the medical/surgical instruments of the invention in connection with new operation techniques, such as so-called "roboting" or so-called "imaging." For example, the use of nuclear spin tomography in the operating room makes it necessary to use nonmetallic instruments. Whereas images of metallic instruments are blurred in nuclear spin tomography, the medical/surgical instruments of the invention are imaged with sharp contours.

In connection with this invention, when medical/surgical instruments are mentioned,

this is to be understood as including instruments and tools which consist at least in part of biocompatible bioinert materials and are used in medicine/surgery and are intended for the same purpose as the medical/surgical instruments.

Table 1

Drill		Drilling time	Bone thickness	Drilling
		(sec)	(mm)	depth/sec
				(mm/sec)
A	cleaned*)	21	5.3	0.252B
	cleaned*)	17	4.6	0.271
	autoclaved	11	4.7	0.427
	autoclaved	33	6.8	0.206
В	cleaned*)	37	6.7	0.154
	cleaned*)	30	6.7	0.158
	autoclaved	40	6.5	0.163
	autoclaves	35	5.6	0.157
Metal		90	7.0	0.084
		67	7.0	0.101

^{*)} with protein-dissolving cleaning agent

20

Claims

- 1. Medical/surgical instrument made of biocompatible bioinert material.
- 5 2. Medical/surgical instrument characterized in that it is coated with biocompatible bioinert material.
 - 3. Medical/surgical instrument according to claim 1 or 2, characterized in that the biocompatible bioinert material is high-strength technical ceramic.
 - Medical/surgical instrument according to claim 1 or 2, characterized in that the biocompatible bioinert material is a ceramic on an aluminum oxide, zirconium oxide or silicon nitride basis.
 - 5. Medical/surgical instrument according to claim 1 or 2, characterized in that the biocompatible bioinert material is a Y-TZP or ZTPA ceramic.
 - 6. Medical/surgical instrument according to one or more of claims 1 to 5, characterized in that it is formed as scalpel, scissors, saw, drill, thread cutting tool, centering tool, drill-jig bushing, or as templet.

- 7. Use of a biocompatible bioinert material for the manufacture of Medical/surgical instruments.
- 8. Use of a biocompatible bioinert material for the manufacture of Medical/surgical instruments, characterized in that the biocompatible bioinert material is a high-strength technical ceramic.
- 9. Use of a biocompatible bioinert material for the manufacture of Medical/surgical instruments, characterized in that the biocompatible bioinert material is a ceramic on an aluminum oxide, zirconium oxide or silicon nitride basis.
- 10. Use of a biocompatible bioinert material for the manufacture of Medical/surgical instruments, characterized in that the biocompatible bioinert material is a Y-TZP or ZTPA ceramic.
- 11. Use of a biocompatible bioinert material for the manufacture of Medical/surgical instruments, characterized in that the biocompatible bioinert material is characterized according to one of claims 3 to 5, and the instrument is made as a scalpel, scissors, saw, drill, thread cutting tool, centering tool, drill-jig bushing or as a templet.
- 12. Use of a biocompatible bioinert material for coating Medical/surgical instruments.

- 13. Use of a biocompatible bioinert material for the coating of Medical/surgical instruments, characterized in that the biocompatible bioinert material is a high-strength technical ceramic.
- 14. Use of a biocompatible bioinert material for the coating of Medical/surgical instruments, characterized in that the biocompatible bioinert material is a ceramic on an aluminum oxide, zirconium oxide or silicon nitride basis.
- 15. Use of a biocompatible bioinert material for the coating of Medical/surgical instruments, characterized in that the biocompatible bioinert material is a Y-TZP or ZTPA ceramic.
- 16. Use of a biocompatible bioinert material for the coating of Medical/surgical instruments, characterized in that the biocompatible bioinert material is characterized according to any one of claims 3 to 5, and the instrument is formed as a scalpel, scissors, saw, drill, thread cutting tool, centering tool, drill-jig bushing or as a templet.
- 17. Use of a tool of biocompatible bioinert material in surgery.
- 18. Use of a tool of biocompatible bioinert material for cutting bone.

- 19. Use of a tool of biocompatible bioinert material for the machining of bone.
- 20. Use of a tool of biocompatible bioinert material to avoid osteolytic particles.
- 21. Use of a tool of biocompatible bioinert material according to any one of claims 17 to 20, characterized in that the biocompatible bioinert material is characterized according to any one of claims 3 to 5.
- 22. Use of a tool of biocompatible bioinert material according to any one of claims 17 to 20, characterized in that the biocompatible bioinert material is characterized according to any one of claims 3 to 5, and the tool is formed as a scalpel, scissors, saw, drill, thread cutting tool, centering tool, drill-jig bushing or as a templet.
- 23. Tool made of biocompatible bioinert material for use as a Medical/surgical instrument.
- 24. Tool according to claim 23, characterized in that the biocompatible bioinert material is high-strength technical ceramic.
- 25. Tool according to claim 23, characterized in that the biocompatible bioinert material is a ceramic on an aluminum oxide, zirconium oxide or silicon nitride basis.

- 26. Tool according to claim 23, characterized in that the biocompatible bioinert material is a Y-TZP or ZTPA ceramic.
- 5 27. Tool according to any one of claims 23 to 26, characterized in that the tool is formed as a scalpel, scissors, saw, drill, thread cutting tool, centering tool, drill-jig bushing or as a templet.
 - 28. Tool according to any one of claims 23 to 27, characterized in that at least a portion of the surface consists of the biocompatible bioinert material.
 - 29. Use of a tool made of biocompatible bioinert material in "roboting" or "imaging".

WELTORGANISATION FÜR GEISTIGES EIGENTUI Internationales Büro

INTERNATIONALE ANMELDUNG VERÖFFENTLICHT NACH DEM VERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES PATENTWESENS (PCT)

(51) Internationale Patentklassifikation 7:

C04B 35/01, A61B 17/16, 17/32

(11) Internationale Veröffentlichungsnummer:

WO 00/61517

A1

(43) Internationales Veröffentlichungsdatum:

19. Oktober 2000 (19.10.00)

(21) Internationales Aktenzeichen:

PCT/EP00/03240

(22) Internationales Anmeldedatum:

11. April 2000 (11.04.00)

(30) Prioritätsdaten:

199 16 149.6

11. April 1999 (11.04.99)

DE

(71) Anmelder (für alle Bestimmungsstaaten ausser US): CER-AMTEC AG [DE/DE]; Innovative Ceramic Engineering, Fabrikstrasse 23 - 29, D-73207 Plochingen (DE).

(72) Erfinder; und

(75) Erfinder/Anmelder (nur für US): FRANKE, Ralf-Peter [DE/DE]; Rosenäckerweg 14, D-89160 Dornstadt (DE). FRIPAN, Michael [DE/DE]; Südstrasse 19, D-71522 Backnang (DE). BURGER, Wolfgang [DE/DE]; Mühlhaldenweg 75, D-73207 Plochingen (DE). RICHTER, Herbert [DE/DE]; Schlehenweg 14, D-73257 Köngen (DE).

(74) Anwälte: UPPENA, Franz usw.; Dynamit Nobel Aktiengesellschaft, Patentabteilung, D-53839 Troisdorf (DE).

(81) Bestimmungsstaaten: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO Patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), eurasisches Patent

(AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), europäisches Patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI Patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Veröffentlicht

Mit internationalem Recherchenbericht.

Vor Ablauf der für Änderungen der Ansprüche zugelassenen Frist; Veröffentlichung wird wiederholt falls Änderungen

eintreffen.

(54) Title: MEDICAL INSTRUMENTS

(\$4) Bezeichnung: MEDIZINISCHE INSTRUMENTE

(57) Abstract

ű

TU

The present invention relates to the use of biocompatible and bioinert materials for producing medical/surgical instruments. The invention also relates to medical/surgical instruments made of biocompatible and bioinert materials. The invention further relates to tools made of biocompatible and bioinert materials for the use as medical/surgical instruments. The invention also relates to the use of tools made of biocompatible and bioinert materials in surgery.

(57) Zusammenfassung

Die vorliegende Erfindung betrifft die Verwendung biokompatibler bioinerter Materialien zur Herstellung von medizinischen/chirurgischen Instrumenten, medizinische/chirurgische Instrumente aus biokompatiblen bioinerten Materialien, Werkzeuge aus biokompatiblem bioinertem Material zur Verwendung als medizinische/chirurgische Instruments sowie die Verwendung von Werkzeugen aus biokompatiblen bioinerten Materialien in der Chirurgie.




FIGURE 1





FIGURE 2




DRILL OF THE INVENTION
MADE OF BIOCOMPATIBLE,
BIOINERT MATERIAL

CONVENTIONAL METAL DRILL

20 20mm 15 Bore 2 of B3 02:06 1

FIGURE 3



The world stand the print the print

S. 2 S. 2

Page 1 of 3

FATENT Docket No. Serial No.

Docket No. CERA 233 (10108725)

	Declaratio	n and Power of Aftorn English Language	ey for Patent Ap Declaration	plication
	As a below named inventor,		•	
	My residence, post office add	dress and citizenship are as	Stated below next to	Day paga
	I believe I am the original, first and joint inventor (if plural na a patent is sought on the inve	st and sole inventor (if only or		
	MEDICAL INSTRUMENTS			
	the specification of which (che	eck one)		
	ls attached hereto.	• .		
	was filed on Septer as United States Applicated and was amended on	riber 18, 2001 as U. ation No. or PCT Internationa (ff	S. Serial No. Al Application No. (applicable).	09/937,722
	I hereby state that I have revie including the daims, as amend	wed and understand the con led by any amendment refer	ntents of the above-id red to above.	entified specification,
	I acknowledge the duty to disc known to me to be material to p Section 1.56.	inse to the United States But		Office all information al Regulations,
	I hereby d'aim foreign priority b 365(b) of any foreign applicatio international application which o below and have also identified l inventor's certificate or PCT into on which priority is claimed.	designated at least one coun	thy other than the Un	n 365(a) of any PCT lited States, listed
F	Prior Poreign Application(s)			
				Friority Not Claimed
	199 16 149,6	DE	Aprīl 11, 199	99 🗇
	(Number)	(Country)	(Filing Date	
	(Number)	(Country)	(Filing Date)	
<u>ل</u>	(Number)	(Country)	· (Filing Date)	
	~ AFPA1.09#9*1			

1 (6-96) Patent and Trademark Office-U.S. DEPARTMENT OF COMMERCE

\$. 3 **\$. 3**

Page 2 of 3

5		,	·		
I hereby claim the application(s) list	e benefit under 35 æd below:	U.S.C. Section 119	(e) of any United	States p rovision al	
-	(Application S	Serial No.)	(Filing Dat	te)	
-	(Application S	Serial No.)	(Filing Dat	(e)	
-	(Application S	ieral No.)	(Filing Dat	æ)	
365(c) of any PC the subject matte PCT international acknowledge the known to me to b	T international app of of each of the cla application in the duty to disclose to e material to pater of the filling date of the	lication designating aims of this application manner provided by the United States F plability as defined in	the United States on is not discloser the first paragrap Patent and Traden Title 37, CFR, St	tes application(s), or Sec. listed below and, insofs in the prior United State on of 35 U.S.C. Section 1 nark Office all information ection 1.36 which became or PCT international filing	eras esor 112. i o e
; ' contra	AMAN CA	A-2 44 666	NA.	The second second	
PCT/EPC		April 11, 200		Pending	
(Application	Serial No.)	(Filing Date	() (not	(Status) ented, pending, abandone	-d7
(Application	Serial No.)	(Filing Date) (pat	(Status) ented, pending, abandone	 (\$)
made on informat with the knowledge imprisonment, or	ion and belief are i ge that willful false both, under Sectio	believed to be true; statements and the	and further that th like so made are f the United States	re true and that all staten lese statements were ma punishable by fine or s Code and that such will ant issued thereon.	ade :
			,		

Serial No.

NR. 655

ψ. _Τ

Page 3 of 2

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

John E. Lynch, Reg. No. 20,940; Peter F. Felfe, Reg. No. 20,297, Norman D. Hanson, Reg.No. 30,946, John A. Bauer, Reg. No. 32,554, James Zubok, Reg. No. 38,671, James R. Crawford, Reg. No. 39,155, Andrew Im, Reg. No. 40,657 and David Rubin, Reg. No. 40,314, my attorneys with full power of substitution and revocation.

Send Correspondence to: James R. Crawford

Fulbright & Jaworski L L P 666 Fifth Avenue New York, New York 10103

Direct Telephone Calls to: James R. Crawford, 212-318-3148

Full name of sole or first inventor Ralf-Peter FRANKE Sole or first inventor's signature Residence Rosenāckerweg 14, D-89160 Dornstadt, Germany Citizenship German Post Office Address SAME AS ABOVE Full name of second inventor, if any
Residence Rosenāckerweg 14, D-89160 Dornstadī, Germany Citizenship German Post Office Address SAME AS ABOVE
Residence Rosenāckerweg 14, D-89160 Dornstadt, Germany Citizenship Germant Post Office Address SAME AS ABOVE
Rosenāckerweg 14, D-89160 Dornstadt, Germany Citizenship Germant Post Office Address SAME AS ABOVE
Rosenāckerweg 14, D-89160 Dornstadt, Germany Citizenship German Post Office Address SAME AS ABOVE
Post Office Address SAME AS ABOVE
SAME AS ABOVE
SAME AS ABOVE
Fruit name of Annual Inc.
Fruit name 46 Avenue In
Full pages of second by
A CONTROLLE OF SECOND INVENTOR, IT SAME
Michael FRIPAN
Second infestoric
Residente Date 25-01.02
Residents 21.01.02
SUCRITURES 19. D-71522 Reckman Communication
Dev
Citizenship German
Post Office Address
73111635
544 m. 44. 5
SAME AS ABOVE

ZOL

PTO 58-01 (6-38)

Palentand Trademark Office-U.S. DEPARTMENT OF COMMERCE

PTO SE-01 (6-96)

FEB. 2002014:3103	DN.	PATEN	TABTEI	LUNGG			
* Seria	No.			•	*	,	

NR. 655——S. 5——

Page 4 of 3 Full name of third inventor, if any Wolfgang BURGER
Third inventor's signature Date Residence 52. V. DS Mühlhaldenweg 75, D-73207 Plochingen, Germany Cilizenship German Post Office Address SAME AS ABOVE Full name of fourth inventor, if any Herbert RICHTER Fourth inventor's signature
- Richards Schlenenweg 14, D-73257 Köngen, Germany Citizenship German Post Office Address SAME AS ABOVE

Falent and Trademark Office-U.S. DEPARTMENT OF COMMERCE

and the first and then the many was the same than the test that the test than the

United States Patent & Trademark Office Office of Initial Patent Examination -- Scanning Division



Application deficiencies found during scanning:

Page(s) of were not present for scanning.

Document title)

Page(s) of were not present for scanning.

Scanned copy is best available. Drowings one too dork.